



QUOTATION

P.L. Custom Body and Equipment Co., Inc.
 Chad Newsome
 2201 Atlantic Avenue
 Manasquan, NJ 08736
 732.223.1411
 ext. 149
 732.223.8456
 cnewsome@plcustom.com

P.L. Custom Body and Equipment Co., Inc.
 Chad Newsome
 2201 Atlantic Avenue
 Manasquan, NJ 08736
 732.223.1411
 ext. 149
 732.223.8456
 cnewsome@plcustom.com

Exp. Date: 01/06/2016
Quote No: A3443-0001
Job/Order No: 3613
BODY: CLSC170 Type 1 Classic, 170" 108"CA

03/17/2017

Page 1

PART NO	S	DESCRIPTION	QTY
		== Type 1 Classic, 170" 108"CA - 33.710 09/15/15 ==	1
00-00-0100		PL Ambulance - Release 33.75, effective 10/14/16	1
00-11-7065		170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1
		Overall Vehicle Dimensions:	
		Length: 302"	
		Width: 99"	
		Height: 112"	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 91"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 72"	
03-00-1060		Chassis Type -Ford F-Series	1
		Chassis paint must be reviewed/edited when changing chassis type	
		EXTERIOR	1
10-10-1100		Modular Body Construction	1
10-10-2000		Structural Integrity Warranty	1
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
10-10-2070		Finite Element Analysis	1
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1

PART NO	S	DESCRIPTION	QTY
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1
10-20-3300		Lowered Body Skirts, with Intermediate Step	1
EXTERIOR DOORS, AMBULANCE			1
11-10-1000		Black Trimark Power Locking Handles, Entrance Doors, Qty (3) - (Master)	1
11-10-4000		Black Trimark Power Locking Handles, Compartment Doors - (MASTER) Tied to OEM Power Door Lock Switch	1
11-20-1800		Gas Spring Pneumatic Door Checks -Classic & Titan	1
11-20-2020		Compart. "A" Door to Check Past 90 Degrees	1
11-20-2030		Compart. "C" Door to Check Past 90 Degrees	1
11-20-2050		Compart. "E" Door to Check Past 90 Degrees	1
11-20-3000		Compart. "D" Door to Check Past 90 Degrees	1
11-20-5000		Cast Products Grabber Rear Doors Hold Open, Polished Aluminum	1
COMPARTMENT LAYOUT			1
Exterior compartment dimensions reflect wall to wall measurements.			
12-10-2035		"A" Left Front -20w x 86h x 21d -(w/Oxygen window)	1
12-15-100B		"B" Left Side 1/2 High -43w x 42h x 20d	1
12-20-100A		"C" Left Rear, 1/2 High -31w x 39h x 20d	1
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1
12-30-120A		"E" Right Rear -24w x 83h x 21d	1
COMPARTMENT DOOR PANELS, MATS, DECKING			1
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1
13-30-1M00		Stainless Steel Door Sills, Compt & Entrance	1
13-30-2000		Vent Compartments to Exterior of Vehicle	1
13-40-1000		Dri-Dek, Floors of Compartment, Black	1
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1
COMPARTMENT CONFIGURATIONS AND EQUIPMENT			1
13-41-0100		Oxygen Bracket located in Compartment A	1
13-42-0300		(2) Adjustable Shelves, for compartment "B"	1
13-43-0300		(2) Adjustable Shelves, for compartment C	1
13-47-0450		Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1
REAR STEP BUMPER			1
14-10-2700		Lift-up Rear Step, Recessed, -Lic. plate left body	1
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1
ALUMINUM DIAMOND PLATE ACCESSORIES			1
15-10-1000		Front Stone Guards, Polished Diamond Plate	1
15-20-1050		Rub-Rails, C-Channel, offset , Bright-Finish	1
15-30-2000		Running Boards, Flare type, Non-Slip Diamond Plate (F450 2-Door)	1
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1
EXTERIOR TRIM			1

PART NO	S	DESCRIPTION	QTY
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1
16-30-1000		Lic. Plate, Cast, Polished, Lft side body w/incandescent Lights	1
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1
EXTERIOR, MISCELLANEOUS			1
17-50-1000		Undercoat Body	1
BODY WINDOWS			1
18-10-1000		Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1
18-20-2100		Windows, Rear Doors, (16"W x 22"H), Fixed, 31% Tint Transportation Products Inc. Windows.	1
18-30-2250		Pre-Frame for Future Curbside Body Window Use of future Curbside body window also depends on Right Side layout/Backrest configuration.	1
INTERIOR CONSTRUCTION			1
20-00-1000		Interior Construction Type - Standard Cabinets	1
INSULATION			1
20-10-1000		Insulation, Interior Body	1
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1
20-10-2000		Sound Deadened Insulation, Entrance Doors	1
20-10-3000		Sound Deadened, Compartment Doors	1
20-10-5000		Sub-Floor, Expanded PVC Polymer	1
FRONT BULKHEAD			1
21-10-0500		Type I, NO Walk-Thru, Sliding window cab to body	1
21-30-1000		Climate Control Unit Over Cab to Body Passage	1
21-40-1500		Electrical Power Distribution Cabinet, Access Panels, vinyl covered Vinyl wrapped cover with an access panel with flush locking trigger latches	1
RIGHT FRONT CABINET			1
21-45-1000		Right front, upper storage w/sliding doors, 1 shelf	1
21-50-1000		Right front Lower, inside/outside storage	1
21-50-2000		Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1
RIGHT SIDE BENCH LAYOUT			1
22-00-1000		Squad Bench, Right side	1
22-20-0100		Backrest, Fixed, Standard Rectangular	1
22-24-0600		Armrest w/ vinyl pouch -Recessed storage, below	1
22-30-2000		Squad bench lid, Positive hold down device	1
22-35-0500		Trash bin, tip out, head of bench into aisle (KKK-Pkg) Part of KKK Package	1

PART NO	S	DESCRIPTION	QTY
22-35-0600		Sharps disposal, tip out, into aisle (8 qt.) (KKK PKG) Part of KKK Package Standard Location-Squad Bench aft of Wheel Well area	1
22-45-0500		O'head storage cabinet 7"h, sliding doors-(KKK Comply)	1
22-57-0100		Pre-Frame for Future Cargo Net Installation -(at Head of Squad Bench) Use of future Cargo Net also depends on Right Side layout configuration. Right side should be planned accordingly	1
LEFT SIDE MIDDLE (Base Cabinet)			1
23-10-1000		Left side attendant seat-(CPR Seat)	1
23-10-2000		Hinged Backrest for counter extension -(Single CPR Seat)	1
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1
LIFE SUPPORT STATION			1
23-30-2000		Switch pod, above counter, vinyl covered	1
23-30-2250		**No Radio Cut-Outs to be provided in LSS**	1
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1
23-32-0950		(Reduced Hgt) Upper storage cabinet, 45 deg, w/sliding doors, 1 shelf The Interior Height of this cabinet will approximately be 13 -1/4" High	1
23-34-1500		Meganite counter, 1" lip, Left front, Color: Silver Mist (Not available with cut-outs)	1
LEFT REAR STORAGE CABINET			1
23-40-1050		Left rear full cabinet, upper, 45 deg w/sliding doors 45 deg hinged door to be a White Acrylic overlapping door to act as a dry-erase, writing surface. Includes (1) adjustable shelf, installed in the sliding door portion of the cabinet and (1) adjustable shelf, installed in the 45 degree portion	1
23-40-3000		Left rear half cabinet, middle, 1/2" acrylic doors, 1 shelf	1
23-42-1500		Meganite counter, 1" lip, Left rear, Color: Silver Mist (Not available with cut-outs)	1
INTERIOR CABINET DOORS			1
24-10-4M00		All Cabinet doors, Lexan/Acrylic, Clear	1
24-15-1000		Handles, full length, sliding doors	1
24-20-1000		Positive closure devices hinged doors	1
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1
ENTRANCE DOORS			1
24-30-1M00		Ent. Door Panels, 3 section	1
ABOVE DOOR HEAD BUMPERS			1
24-35-0100		Side Door Head Bumper	1
24-35-0500		Rear Door Head Bumper	1
GRAB RAILS			1

PART NO	S	DESCRIPTION	QTY
25-10-1000		Grab rail, 72", s/steel, over squad bench	1
25-10-1500		Grab rail, 72", s/steel, over cot	1
25-10-3600		Grab rail, 18", at rear entrance doors, (2)	1
25-11-1A00		Grab rail, 45 deg, side entrance door, (1)	1
25-12-2000		Grab handle, spring loaded, rear ent door (2)	1
SEAT BELTS			1
25-50-1000		Seat belts, squad bench, Qty (3)	1
25-50-2000		Seat belt, attendant seat, Qty (1)	1
25-50-3000		Seat belt, left side attendant, Qty (1)	1
25-51-1000		Patient restraint strap, squad bench, Qty (3)	1
COT MOUNT and COT MODEL			1
26-10-5000		Cot Plate mount Stryker, Mdl #6370, single center, removable All cot mount components STRYKER.	1
26-35-S001	XU	Universal Floor Framing	1
26-47-4500		Cot Fastening Kit for - Stryker Model 6082 MX-PRO R3 Includes floor mounted safety hook Hardware Only - Cot not included	1
I.V. HOLDER			1
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1
INTERIOR COLORS			1
27-10-1000		Ceiling, white Thermoplastic	1
27-10-1500		Upper Laminate - Fashion Grey D381-60	1
27-10-4200		Lower Laminate - Fashion Grey D381-60	1
INTERIOR UPHOLSTERY			1
27-20-5000		Upholstery, Flat-Seamless	1
27-20-5600		Upholstery Color: Gray	1
ATTENDANT SEAT			1
27-36-1000		Gray, Attendant Seat, EVS 17703, 3 Point Harness, ABS Back, Swivel, Sewn Vinyl	1
27-37-0100		** Confirm Seat color** - GRAY is the vehicle upholstery color	1
FLOORING			1
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1
27-55-2000		Flooring rolled up side walls 3"	1
CAB CONSOLE			1
27-72-1010		Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1
27-75-0100		**No Radio Cut-Outs to be provided in Cab Console**	1
27-75-2050		Map Box, Type I, Behind Cab Console - (2017+ F-Series) includes (1) lexan divider	1

PART NO	S	DESCRIPTION	QTY
		See PDF	
		MISCELLANEOUS INTERIOR	1
28-50-1000		Fasten Seat Belt/No Smoking Sign	1
		OXYGEN AND SUCTION	1
30-10-1000		Oxygen Outlet, Amico, dual, LSS	1
30-10-2000		Oxy Outlet, Amico, single, rt side- In O'head Cabinet	1
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1
30-30-1000		Suction pump, electric, Thomas, switch in LSS	1
30-30-2400		Collection Bottle, SSCOR Disp. w/ white-regulator	1
30-50-3500		Oxygen Bottle holder, Zico QR-MV, Multiversal	1
30-50-3850		***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M Steel	1
		This will allow the factory to preset the mounts for your customer.	
30-60-4000		Regulator, Oxygen, Large Tank, (aka, #1633-2)	1
30-80-1000		Wrench, Oxygen Cylinder - (wall mounted)	1
		ELECTRICAL	1
40-00-0500		Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1
40-00-1200		Electrical 12 VDC, Classic-Series	1
40-00-1900		Electrical 12 VDC Specifications	1
		CAB ELECTRICAL	1
41-10-0100		Alternator, Dual with 355 amp combined output, OEM Ford F-Series	1
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1
41-30-3750		K3 -Ignition Switched, Module Disconnect	1
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1
		SWITCH PANEL	1
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1
42-10-2400		Low Voltage Alarm & Indicator	1
42-15-2500		Rocker Switches, Carling Euro Style	1
42-20-0500		Battery On indicator light	1
42-20-1000		Warning Indicator, Door open, Red	1
42-20-2000		Warning Indicator, Compt open, Amber	1
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1
42-21-1000		Hella Gooseneck Light 7", Includes Red Filter	1
42-25-6000		Throttle, Electronic Ford OEM (Diesel Engine Only)	1
42-30-1000		Back-up alarm, w/resetting cancel switch	1
42-35-1000		Spotlight, Unity 5", wired direct to console - Unmounted- Spotlight Mount Bracket will be shipped loose so that the customer can mount it in their desired location. Note: Select QW Option 42-35-1030 for PL mounting of the Spotlight bracket, which states a defined location.	1

PART NO	S	DESCRIPTION	QTY
42-45-2200		Load Manager/Sequencer, PL Custom/Kusmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP	1
		FULL TIME Load Management of Emergency Lights	
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1
42-65-1500		Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1
42-65-2010		Power Door Lock Switch, Side Entrance Door	1
42-65-2020		Power Door Lock Switch, Rear Entrance Doors	1
42-65-2200		Pwr Door Lock Concealed Override Switch, Grille -(KKK) Located in front grille area. This switch location is KKK compliant	1
EMERGENCY WARNING EQUIPMENT			1
SIREN			1
43-20-4G50		Siren, Whelen 295SLSA1, w/diag.	1
43-20-5000		Siren-Horn Switch	1
SIREN SPEAKERS			1
43-31-4270		Thru Bumper Speakers, CPI SAD/P 3806, (2) F-Series, 2011-on	1
FRONT LIGHT BAR			1
43-40-0500		-No front Lightbar required-	1
REAR LIGHT BAR			1
43-50-1000		-No rear Lightbar required-	1
CAB MOUNTED LIGHTS			1
43-68-A200		Whelen Independent CAB Flashing Lights, CLEAR Lens package	1
43-71-0100		(2) Upper Whelen 500 LED-Grille Light -(2)Red	1
43-71-1620		Upper Grille Flange - Fit Specific (pair) (2016 F-Series Only)	1
43-71-3750		(2) Whelen LIN3 Super-LED, Red -Fender	1
BODY LIGHTING -(Full Catalog PDF here)>			1
FRONT BODY VEHICLE LIGHTS -(Non-Emergency)			1
43-A1-0700		(2) 600-Whelen, Directionals -LED,Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	1
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1
43-A2-0250		** (7) Front Upper Lights & Directionals The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1
43-A4-2100		*** Whelen KKK Front & Side Body Flashing Lights, CLEAR Lens package	1
43-A5-0020		KKK Traditional Flash, w/ Vanner 3 Output Flasher, -Primary/Secondary Sw.	1
43-A5-0065		Program Flashing Lights to "Single Flash 375 "	1
FRONT BODY WARNING LIGHTS			1

PART NO	S	DESCRIPTION	QTY
43-B0-0100		9x7, 900 Sup-LED, Red, Front - (Loc: F1)	1
43-B0-0900		9x7, 900 Sup-LED, Red, Front - (Loc: F2)	1
43-B0-1250		9x7, 900 Sup-LED, Red, Front - (Loc: F3)	1
43-B0-1500		9x7, 900 Sup-LED, White Front -(Loc: F4)	1
43-B0-2600		9x7, 900 Sup-LED, Red, Front - (Loc: F5)	1
43-B0-2850		9x7, 900 Sup-LED, Red, Front - (Loc: F6)	1
43-B0-3200		9x7, 900 Sup-LED, Red, Front - (Loc: F7)	1
Whelen Primary Side Light package (PDF>)			1
43-F0-0100		9x7, 900 Sup-LED, Red, Left Side - (Loc: LS1)	1
43-F0-1100		9x7, 900 Sup-LED, Red, Left Side - (Loc: LS4)	1
43-F4-0100		9x7, 900 Sup-LED, Red, Right Side - (Loc: RS1)	1
43-F4-1100		9x7, 900 Sup-LED, Red, Right Side - (Loc: RS4)	1
REAR BODY WARNING (Flashing) LIGHTS			1
43-H1-0200		**Whelen KKK, Rear Body Flashing Lights - CLEAR Lens	1
REAR LIGHT LAYOUT -(No Lightbar or Traffic Advisor) (PDF>)			1
43-H3-0120		(3) Rear Upper Lights & (2) Window Level Lights	1
43-S0-0100		9x7, 900 Sup-LED, Red, Rear - (Loc: R1)	1
43-S0-0850		9x7 Sup-LED, Amber, Rear - (Loc: R4)	1
43-S0-1850		9x7 Sup-LED, Red, Rear - (Loc: R7)	1
Rear Lights at Window Level			1
43-S0-2350		9x7 Sup-LED, Red, Rear - (Loc: R10B)	1
43-S0-3100		9x7 Sup-LED, Red, Rear - (Loc: R11B)	1
SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS			1
43-T5-1300		Whelen 700 Series Red Super-LED, w/Flange, (2) Over Rear Wheel Color: Red	1
REAR NON-EMERGENCY LIGHTS			1
44-10-1500		Stop/Tail and Turn Signal-Light heads with clear lenses Exterior vehicle Rear Stop/Tail & Turn light heads will have Clear Lenses.	1
44-10-2510		Stop/Tail, (2) Whelen 600 Series LED -(clear Lens) w/Flange	1
44-15-1M00		Back-up, (2) Whelen 600 Series, w/Flange	1
44-25-1850		Directional, (2) Whelen 600 LED -(clear Lens) Amber Arrow	1
AUXILIARY NON-EMERGENCY LIGHTS			1
44-30-1000		Marker/Clearance Lts, LED Front, Rear, (2) Sides	1
44-30-3000		Lower Side Marker, Flash w/Directionals, (2) ea side	1
44-35-1500		Rear Red LED Flasher/Brake Light Priority- Rear Uppermost For Lights located in the upper most portion of the body	1
FLOOD LIGHTS			1
44-50-1000		(2) Whelen 9x7, 8-32 deg Halogen Scene Lights, Left side-(Loc:LS2, LS3)	1
44-50-1100		(2) Whelen 9x7, 8-32 deg Halogen Scene Lights, Right side-(Loc:RS2, RS3)	1
44-50-2000		(2) Whelen 9x7, 8-32 deg Halogen Scene Lights, Rear, (Loc; R12, R13)	1
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1

PART NO	S	DESCRIPTION	QTY
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1
44-60-4000		Rear Scene Lights, On-Off Switch in Console	1
		Rear floods switch shall also activate reverse lights.	
44-60-5000		Right Side Scene Light Cancel Switch	1
44-60-6000		Rear Door Scene Light Cancel Switch	1
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1
		CLIMATE CONTROL	1
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1
45-30-1Q00		Ducted Heater/Air Cond, Digital Thermostat -F-Series	1
45-35-1100		Auxiliary Coolant Pump Climate Control System	1
45-60-1000		Switch in Cab On-Off Control, Heater-A/C Unit	1
		CEILING CONFIGURATION	1
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers Order of lights on the ceiling (front to rear): Dome Light, Speaker, Rectangular Light, Dome Light, IV Holder, Rectangular Light, Dome Light	1
		INTERIOR LIGHTS	1
46-10-1L00		(6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80COEHCR) Whelen Product change 5/6/13 -from 9 LED to 18 LED (same overall Lumens)	1
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1
		EXTERIOR COMPARTMENT LIGHTS	1
46-20-1000		Lights In Exterior Compartments, 4" Recessed (Compartment Ceiling Lights)	1
46-20-1200		Panel Light, 12", Incandescent, in Right Front -In/Out	1
		AUXILIARY INTERIOR LIGHTING	1
46-20-2000		Heavy Duty LED panel Light, (LSS Area)	1
46-30-1000		Stepwell Light, Located at Side Entrance Door	1
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1
46-40-3M00		Rectangular Lights "Check-Out" Timer, Side Door	1
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1
46-50-5500		3-way Dome/Rect. Light Master Switch (Console & LSS) Cab Console and LSS Switch Panel	1
		Note: This option is NOT COMPATIBLE with right side switch panel options 22-25-4130 or 22-25-4135	
		MEDICAL OUTLETS	1
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS	1
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1
47-20-2500		12 volt Medical Outlet, Power Point, Loc: Left Rear Outlet mounted 14" above the rear counter	1
		For any other locations, please use an SOPR	
47-50-1K00		Medical Isolator, Shottky, Low Voltage Drop	1
		ANTENNA/COMMUNICATION RADIO	1

PART NO	S	DESCRIPTION	QTY
47-60-1000		Antenna Leads, (3) Body Roof - (See PDF) (1) Front console, (1) L/S/S, (1) Behind driver seat.	1
		NOTE: Antenna bases shall not be mounted unless selected.	
47-60-6200		Radio Power Lead, rear L/S/S Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1
47-60-6500		Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1
47-60-7000		Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1
		MISCELLANEOUS 12 VOLT ELECTRICAL	1
48-20-2000		Speakers, Stereo Volume Control Rear Sw Panel	1
48-50-3002		Clock, 12 volt 24 hour, Analog mounted on 45 degree cabinet	1
48-60-3700		Liquid Spring Control Left Rear Door Open w/ Override switch	1
48-70-2000		Snow Chains, PREWIRE, Electrical Control Includes Safety switch in console	1
		ELECTRICAL 115 VOLT AC	1
51-20-5000		Shoreline, Super Auto-Eject 20 amp, White, Left Side, Above Compt. "B"	1
51-30-1500		Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator	1
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1
51-40-1000		Engine Block Heater to Shoreline (If so equipped) Note: Includes block heater switch in Electrical cabinet. The heater should only be switched on during (cold weather) as per chassis owner manual guidelines.	1
51-40-3000		On-off Switch 115v, For Control of Block Htr	1
52-10-1000		Hospital Grade Lighted GFCI Outlet, Location: L/S/S	1
52-10-2000		Hospital Grade Lighted Outlet, Location: Left Rear Outlet mounted 14" above the rear counter	1
		For any other locations, please use an SOPR	
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1
		BATTERY CHARGER / INVERTER CHARGER	1
54-10-1M00		Battery Charger, IOTA DLS-30, 30 amp	1
		INVERTER	1
55-10-4200		Inverter, Prewire, Complete-Vanner EMS Style Provide switch in LSS Provide #PL-2833 Anderson Connection Provide Mounting Plate # S00518500	1

PART NO	S	DESCRIPTION	QTY
		PAINT LUSTRE	1
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1
60-00-0007		Paint Adhesion Testing	1
		BODY AND CAB PRIMARY PAINT	1
60-10-0010		*Body and Cab Same Single Color	1
60-10-1050		**Modular Body Paint Color OEM White	1
60-15-1490		No Cab Repaint Required(Cab remains OEM White) NOT ALL PAINT COLORS AVAILABLE , CHECK WITH PL FACTORY ON AVAILABILITY. When NO cab repaint is specified, chassis paint code must be verified to be sure of a match to body paint	1
		ADDITIONAL VEHICLE PAINT, SECONDARY	1
61-05-0008		No Additional Paint Required	1
		PAINT COLOR CODES FOR PRIMARY/SECONDARY PAINT	1
65-50-4020		Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline This provides the 60 sq.inch required for both general safety and KKK.	1
65-50-4070		Reflective White Tape Stripe, 3/4" Outline, on interior of Compartment Doors Reflective White Tape Stripe on the interior pan of all compartment doors	1
65-80-1000		KKK-A-1822 Decal Package	1
		TECHNICAL RADIO INSTALLATION	1
70-10-0500		No Technical Radio Installation	1
		CHASSIS EQUIPMENT	1
75-10-1500		Stainless Steel Wheel Inserts F- 08+, with -19" wheel	1
75-30-1000		Liquid Spring Suspension System (F450)	1
75-55-1200		Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1
75-95-2500		Ford Series Front End-Caster Camber Align	1
		EQUIPMENT	1
80-35-2K00		Fire Extinguisher, ABC, 5lb, Qty: (2) Shipped loose.	1
80-43-4250		Bottle Brackets, Zico-Quick-Release, Strapless (2), (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1
80-45-1050		KKK-1822 Pkg for KKK Compliance	1
80-45-1070		Factory will Adjust "Duplicate Items"- (From KKK Comply) The Factory will adjust and remove any unnecessary "Duplicate" lines which occurred with the addition of QW# 80-45-1050 KKK Compliance. Specific Locations which the customer called out will take precedence.	1

PART NO	S	DESCRIPTION	QTY
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1
		CHASSIS	1
95-11-143C		2017 FORD F450-Super Duty, 4x4, 108" CA, XLT Trim	1
		Ford F450 Chassis Cab Four Wheel Drive	
		Wheelbase 193" - 108" CA Dual Rear	
		G.V.W. 16,500 lbs.	
		Powertrain/Functional:	
		Engine: 6.7L "Powerstroke" Turbo Diesel V8 300	
		hp @2800 RPM, 660 lbs torque @1600 RPM	
		Single Stage Turbo Charger	
		Instant Start Glow Plugs for quick engine starts	
		Diesel Emissions Fluid 6 gallon tank - mounted	
		behind frame rail on drivers side	
		Intelligent Oil Life Monitor	
		Engine block heater	
		Water Pump with 125 gallons per minute flow rate	
		Transmission: Heavy Duty "TorqShift" Six Speed	
		Select Shift Automatic with overdrive	
		Electronic Shift on the Fly with automatic locking	
		front hubs with manual override.	
		Brakes - 4 wheel Anti-lock Braking System	
		Traction Control - DRW Models	
		Fuel Capacity: 40 gallon single tank (aft axle)	
		Front Axle: 7,000 lb. Monobeam, Dana Super 60	
		Rear Axle: 12,000 lb. Full Floating Dana S110	
		Suspension:	
		Heavy Duty Front Coil Springs (7,000 lbs.)	
		Rear Leaf Springs, main & auxiliary (12,000 lbs)	
		Shock absorbers, front & rear 1.38"	
		Stabilizer bar, front and rear	
		Power Steering	
		Steering Damper	
		Instrumentation: multifunction switch message center -	
		Gauges: Oil Pressure, Coolant Temperature, Trans Temp,	
		w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost,	
		water in fuel warning light, low/contaminated diesel exhaust	
		fluid warning lights, glow plug preheat indicator	
		Ambulance Prep Package - 47A	
		Rear axle 4.10 Limited Slip #X4N	
		Auxiliary transmission oil cooler	
		Dual OEM HD Alternators (total 377 amps) 67B	
		Dual 750 CCA Batteries	

PART NO	S	DESCRIPTION	QTY
		Stationary elevated idle control (SEIC)	
		Operated Commanded Regeneration (OCR) #98R	
		Safety/Security:	
		Driver/Passenger frontal and side air bag/curtain	
		Passenger side air bag deactivation switch	
		Belt-Minder - chime & flashing warning light on instrument panel if belts not buckled	
		Safety Belts - color coordinated with height adjustment (front outboard seating positions only)	
		SOS Post-Crash Alert System	
		Securi-lock Anti Theft Ignition	
		Tires:	
		Front & Rear LT225/70R 19.5G All Season (6) #TFB	
		Spare Tire: LT225/70R 19.5G (All Season)	
		Wheels; 10 hole Disc, 19.5" x 6" Steel	
		Exterior Trim:	
		Dual Electric Horns	
		Chrome Front Bumper & Grille Surround	
		Mirrors: Black POWER Telescoping Trailer tow	
		w/Power-Heated Glass, integrated clearance lights and two way fold away	
		Front Tow Hooks	
		Lights - roof/marker clearance lights	
		Under Hood Service Light	
		Dual Beam Jewel Effect Headlights	
		XLT Interior Cab Trim: #653A	
		Air Conditioning	
		Cloth Headliner, Map Pockets	
		AM/FM Radio w/CD/Mp3 Player/Clock	
		4.2" LCD Productivity Screen in IP Cluster	
		Overhead Console with dual storage bin and map lights	
		Interval Windshield Wipers	
		Tilt Steering Wheel/Speed Control - steering wheel mounted	
		Power Windows/Door Locks	
		Color-keyed Carpet / Floor Mats	
		Headlights on audible alarm	
		Dual overhead Map Light	
		Daytime Running Lights	
		Front seats, high series cloth - 40/20/40 #3S	
		Color Scheme:	
		Exterior Color: Oxford White #Z1	
		Interior Color: MEDIUM EARTH GRAY	
95-12-5000		**as of 12/31/14 - Limited 2016 Chassis available - (Call Factory to Confirm)	1
96-32-1500		Fuel "Full Tank" -F-Series	1