



QUOTATION

P.L. Custom Body and Equipment Co., Inc.
 Chad Newsome
 2201 Atlantic Avenue
 Manasquan, NJ 08736
 732.223.1411
 ext. 149
 732.223.8456
 cnewsome@plcustom.com

P.L. Custom Body and Equipment Co., Inc.
 Chad Newsome
 2201 Atlantic Avenue
 Manasquan, NJ 08736
 732.223.1411
 ext. 149
 732.223.8456
 cnewsome@plcustom.com

Exp. Date: 01/06/2016
Quote No: A3442-0001
Job/Order No: 17-3606
BODY: AMBMEDIII Type 3 Medallion 100"CA (*NEW)

03/16/2017

Page 1

PART NO	S	DESCRIPTION	QTY
		== Type 3 Medallion 100"CA (*NEW) - 33.710 09/15/15 ==	1
00-00-0100		PL Ambulance - Release 33.73, effective 3/1/16	1
00-10-1215		170" MEDALLION Body, 72" Headroom -Drop Skirt -(100 CA)	1
		Overall Vehicle Dimensions:	
		Length: 275" Width: 99" Height: 107"	
		Exterior Modular Body Dimensions:	
		Length: 170" Width: 97" Height: 89"	
		Interior Modular Body Dimensions:	
		Length: 160" Width: 90 3/4" Height: 72"	
03-02-1060		Chassis Type -Ford E-Series All chassis options & upgrades must be reviewed/edited when changing chassis type. Paint must be reviewed/edited due to possible OEM white changes	1
		EXTERIOR	1
10-10-1000		Modular Body Construction	1
10-10-2000		Structural Integrity Warranty The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	1
10-10-2070		Finite Element Analysis	1
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1
10-12-0600		8" Cab-Body Recess Type III	1
10-15-2000		Body mounting, Type III, Rubber donuts	1
10-20-3000		Lowered Body Skirts, with Intermediate Step	1
		EXTERIOR DOORS, AMBULANCE	1
11-10-1000		Trimark Power Locking, Entrance Doors, Qty (3)	1

PART NO	S	DESCRIPTION	QTY
11-10-4000		Trimark Power Locking, Compartment Doors Tied to OEM Power Door Lock Switch	1
11-20-2000		Gas Spring Pneumatic Door Checks -E & G Series	1
11-20-2020		Compart. "A" Door to Check Past 90 Degrees	1
11-20-2030		Compart. "C" Door to Check Past 90 Degrees	1
11-20-2050		Compart. "E" Door to Check Past 90 Degrees	1
11-20-3000		Compart. "D" Door to Check Past 90 Degrees	1
11-20-5000		Cast Products Grabber Rear Doors Hold Open, Polished Aluminum	1
		COMPARTMENT LAYOUT	1
		Exterior compartment dimensions reflect wall to wall measurements.	
12-10-2020		"A" Left Front -20w x 83h x 21d -(w/Oxygen window)	1
12-15-1000		"B" Left Side 1/2 High -40w x 39h x 20d	1
12-20-1005		"C" Left Rear, 1/2 High -31w x 36h x 20d	1
12-25-1210		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1
12-30-2505		"E" Right Rear -24w x 80h x 21d	1
		COMPARTMENT DOOR PANELS, MATS, DECKING	1
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1
13-30-1M00		Stainless Steel Door Sills, Compt & Entrance	1
13-30-2000		Vent Compartments to Exterior of Vehicle	1
13-40-1000		Dri-Dek, Floors of Compartment, Black	1
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1
		COMPARTMENT CONFIGURATIONS AND EQUIPMENT	1
13-41-0100		Oxygen Bracket located in Compartment A	1
13-42-0300		(2) Adjustable Shelves, for compartment "B"	1
13-43-0300		(2) Adjustable Shelves, for compartment C	1
13-47-0450		Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1
		REAR STEP BUMPER	1
14-10-2400		Lift-up Rear Step, Recessed, -Lic. plate left body	1
14-20-1M00		Rear Dock Bumpers, Bolted to Bumper Ends	1
		ALUMINUM DIAMOND PLATE ACCESSORIES	1
15-10-1000		Front Stone Guards, Polished Diamond Plate	1
15-20-1050		Rub-Rails, C-Channel, offset , Bright-Finish	1
15-30-1M00		Running Boards, Non-slip Diamond Plate -E, Series	1
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1
		EXTERIOR TRIM	1
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1
16-30-1000		Lic. Plate, Cast, Polished, Lft side body w/incandescent Lights	1
16-35-1000		Fuel Fill Housing, Cast products, Polished (E-Series)	1
		EXTERIOR, MISCELLANEOUS	1

PART NO	S	DESCRIPTION	QTY
17-50-1000		Undercoat Body	1
		BODY WINDOWS	1
18-10-1000		Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1
18-20-2100		Windows, Rear Doors, (16"W x 22"H), Fixed, 31% Tint Transportation Products Inc. Windows.	1
18-30-2250		Pre-Frame for Future Curbside Body Window Use of future Curbside body window also depends on Right Side layout/Backrest configuration.	1
		INTERIOR CONSTRUCTION	1
20-00-1000		Interior Construction Type - Standard Cabinets	1
		INSULATION	1
20-10-1000		Insulation, Interior Body	1
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1
20-10-2000		Sound Deadened Insulation, Entrance Doors	1
20-10-3000		Sound Deadened, Compartment Doors	1
20-10-5000		Sub-Floor, Expanded PVC Polymer	1
		FRONT BULKHEAD	1
21-20-1500		Type III Walk-Thru Door Sliding Window(KKK) Laminated wood door with sliding 12"w x 12"h window With standard, wood cabinet construction, the door will open into a recessed pocket.	1
21-30-1000		Climate Control Unit Over Cab to Body Passage	1
21-40-1000		Electrical Power Distribution Cabinet, vinyl covered Vinyl wrapped cover with an access panel with flush locking trigger latches	1
		RIGHT FRONT CABINET	1
21-45-1000		Right front, upper storage w/sliding doors, 1 shelf	1
21-50-1000		Right front Lower, inside/outside storage	1
21-50-2000		Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1
		RIGHT SIDE SQUAD BENCH	1
22-00-1000		Squad Bench, Right side	1
22-20-0100		Backrest, Fixed, Standard Rectangular	1
22-24-0500		Armrest w/ vinyl pouch -Recessed storage, below	1
22-30-2000		Squad bench lid, Positive hold down device	1
22-35-0500		Trash bin, tip out, head of bench into aisle (KKK-Pkg) Part of KKK Package	1
22-35-0600		Sharps disposal, tip out, into aisle (8 qt.) (KKK PKG) Part of KKK Package Standard Location-Squad Bench aft of Wheel Well area	1

PART NO	S	DESCRIPTION	QTY
22-45-0500		O'head storage cabinet 7"h, sliding doors-(KKK Comply)	1
22-57-0100		Pre-Frame for Future Cargo Net Installation -(at Head of Squad Bench) Use of future Cargo Net also depends on Right Side layout configuration. Right side should be planned accordingly	1
LEFT SIDE MIDDLE (Base Cabinet)			1
23-10-1000		Left side attendant seat-(CPR Seat)	1
23-10-2000		Hinged Backrest for counter extension -(Single CPR Seat)	1
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1
LIFE SUPPORT STATION			1
23-30-2000		Switch pod, above counter, vinyl covered	1
23-30-2250		**No Radio Cut-Outs to be provided in LSS**	1
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1
23-32-0950		(Reduced Hgt) Upper storage cabinet, 45 deg, w/sliding doors, 1 shelf The Interior Height of this cabinet will approximately be 13 -1/4" High	1
23-34-1500		Meganite counter, 1" lip, Left front, Color: Silver Mist (Not available with cut-outs)	1
LEFT REAR STORAGE CABINET			1
23-40-1050		Left rear full cabinet, upper, 45 deg w/sliding doors 45 deg hinged door to be a White Acrylic overlapping door to act as a dry-erase, writing surface. Includes (1) adjustable shelf, installed in the sliding door portion of the cabinet and (1) adjustable shelf, installed in the 45 degree portion	1
23-40-3000		Left rear half cabinet, middle, 1/2" acrylic doors, 1 shelf	1
23-42-1500		Meganite counter, 1" lip, Left rear, Color: Silver Mist (Not available with cut-outs)	1
INTERIOR CABINET DOORS			1
24-10-4M00		All Cabinet doors, Lexan/Acrylic, Clear	1
24-15-1000		Handles, full length, sliding doors	1
24-20-1000		Positive closure devices hinged doors	1
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1
ENTRANCE DOORS			1
24-30-1M00		Ent. Door Panels, 3 section	1
ABOVE DOOR HEAD BUMPERS			1
24-35-0100		Side Door Head Bumper	1
24-35-0500		Rear Door Head Bumper	1
GRAB RAILS			1
25-10-1000		Grab rail, 72", s/steel, over squad bench	1
25-10-1500		Grab rail, 72", s/steel, over cot	1
25-10-3600		Grab rail, 18", at rear entrance doors, (2)	1
25-11-1A00		Grab rail, 45 deg, side entrance door, (1)	1

PART NO	S	DESCRIPTION	QTY
25-12-2000		Grab handle, spring loaded, rear ent door (2)	1
SEAT BELTS			1
25-50-1000		Seat belt, squad bench, Qty (3)	1
25-50-2000		Seat belt, attendant seat, Qty (1)	1
25-50-3000		Seat belt, left side attendant, Qty (1)	1
25-51-1000		Patient restraint strap, squad bench, Qty (3)	1
COT MOUNT and COT MODEL			1
26-10-5000		Cot Plate mount Stryker, Mdl #6370, single center, removable All cot mount components STRYKER.	1
26-47-4500		Cot Fastening Kit for - Stryker Model 6082 MX-PRO R3 Includes floor mounted safety hook Hardware Only - Cot not included	1
I.V. HOLDER			1
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1
INTERIOR COLORS			1
27-10-1000		Ceiling, white Kydex Thermoplastic	1
27-10-1500		Upper Laminate - Fashion Grey D381-60	1
27-10-4200		Lower Laminate - Fashion Grey D381-60	1
INTERIOR UPHOLSTERY			1
27-20-5000		Upholstery, Flat-Seamless	1
27-20-5600		Upholstery Color: Gray	1
ATTENDANT SEAT			1
27-36-1000		Gray, Attendant Seat, EVS 17703, 3 Point Harness, ABS Back, Swivel, Sewn Vinyl	1
27-37-0100		** Confirm Seat color** - GRAY is the vehicle upholstery color	1
FLOORING			1
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1
27-55-2000		Flooring rolled up side walls 3"	1
CAB CONSOLE			1
27-70-1070		Type III Elliptical, Aluminum Console	1
27-70-1550		Radio/Siren Console-for Elliptical Console	1
27-75-0100		**No Radio Cut-Outs to be provided in Cab Console**	1
MISCELLANEOUS INTERIOR			1
28-50-1000		Fasten Seat Belt/No Smoking Sign	1
OXYGEN AND SUCTION			1
30-10-1000		Oxygen Outlet, Amico, dual, LSS	1
30-10-2000		Oxy Outlet, Amico, single, rt side- In O'head Cabinet	1
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1
30-30-1000		Suction pump, electric, Thomas, switch in LSS	1

PART NO	S	DESCRIPTION	QTY
30-30-2400		Collection Bottle, SSCOR Disp. w/ white-regulator	1
30-50-3500		Oxygen Bottle holder, Zico QR-MV, Multiversal	1
30-50-3850		***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size: "M" Steel	1
		This will allow the factory to preset the mounts for your customer.	
30-60-4000		Regulator, Oxygen, Large Tank, (aka, #1633-2)	1
30-80-1000		Wrench, Oxygen Cylinder - (wall mounted)	1
		ELECTRICAL	1
40-00-0500		Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1
40-00-1100		Electrical 12 VDC, Type III	1
40-00-1900		Electrical 12 VDC Specifications	1
		CAB ELECTRICAL	1
41-10-1100		Alternator, Single 225 Amp OEM Ford, E-Series	1
41-20-1050		Batteries (2) OEM, (1) underhood, (1) Compt "D" E-Series (Gas) (1) OEM battery mounted on pull out tray in lower section Compt "D"	1
41-30-3600		K3 -Ignition Switched, Module Disconnect	1
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1
		SWITCH PANEL	1
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1
42-10-2400		Low Voltage Alarm & Indicator	1
42-15-2500		Rocker Switches, Carling Euro Style	1
42-20-0500		Battery On indicator light	1
42-20-1000		Warning Indicator, Door open, Red	1
42-20-2000		Warning Indicator, Compt open, Amber	1
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1
42-21-1000		Hella Gooseneck Light 7", Includes Red Filter	1
42-25-6060		Throttle, Electronic Ford OEM (Gas Engine Only)	1
42-30-1000		Back-up alarm, w/resetting cancel switch	1
42-35-1000		Spotlight, Unity 5", wired direct to console - Unmounted- Spotlight Mount Bracket will be shipped loose so that the customer can mount it in their desired location. Note: Select QW Option 42-35-1030 for PL mounting of the Spotlight bracket, which states a defined location.	1
42-45-2200		Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP FULL TIME Load Management of Emergency Lights	1
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1
42-65-1500		Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1

PART NO	S	DESCRIPTION	QTY
42-65-2010		Power Door Lock Switch, Side Entrance Door	1
42-65-2020		Power Door Lock Switch, Rear Entrance Doors	1
42-65-2200		Pwr Door Lock Concealed Override Switch, Grille -(KKK)	1
		Located in front grille area.	
		This switch location is KKK compliant	
EMERGENCY WARNING EQUIPMENT			1
SIREN			1
43-20-4G50		Siren, Whelen 295SLSA1, w/diag.	1
43-20-5000		Siren-Horn Switch	1
SIREN SPEAKERS			1
43-30-0660		Thru-Bumper Spkrs, CPI SAD/SAP4319,(2) 2008 to Current	1
FRONT LIGHT BAR			1
43-40-0500		-No front Lightbar required-	1
REAR LIGHT BAR			1
43-50-1000		-No rear Lightbar required-	1
CAB MOUNTED LIGHTS			1
43-68-0200		Whelen Independent CAB Flashing Lights, CLEAR Lens package	1
43-71-0100		(2) Upper Whelen 500 LED-Grille Light -(2)Red	1
43-71-1610		Upper Grille Flange - E, C,-Series, Fit Specific (pair)	1
43-71-4000		(2) Whelen 7x3 Super-LED, Red -Fender	1
BODY LIGHTING -<(Full Catalog PDF here)>			1
FRONT BODY VEHICLE LIGHTS -(Non-Emergency)			1
43-A1-0700		(2) 600-Whelen, Directionals -LED,Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	1
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1
43-A2-0250		** (7) Front Upper Lights & Directionals	1
		The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	
43-A4-2100		*** Whelen KKK Front & Side Body Flashing Lights, CLEAR Lens package	1
43-A5-0020		KKK Traditional Flash, w/ Vanner 3 Output Flasher, -Primary/Secondary Sw.	1
43-A5-0065		Program Flashing Lights to "Single Flash 375 "	1
FRONT BODY WARNING LIGHTS			1
43-B0-0100		9x7, 900 Sup-LED, Red, Front - (Loc: F1)	1
43-B0-0900		9x7, 900 Sup-LED, Red, Front - (Loc: F2)	1
43-B0-1250		9x7, 900 Sup-LED, Red, Front - (Loc: F3)	1
43-B0-1500		9x7, 900 Sup-LED, White Front -(Loc: F4)	1
43-B0-2600		9x7, 900 Sup-LED, Red, Front - (Loc: F5)	1
43-B0-2850		9x7, 900 Sup-LED, Red, Front - (Loc: F6)	1
43-B0-3200		9x7, 900 Sup-LED, Red, Front - (Loc: F7)	1
Whelen Primary Side Light package (PDF>)			1

PART NO	S	DESCRIPTION	QTY
43-F0-0100		9x7, 900 Sup-LED, Red, Left Side - (Loc: LS1)	1
43-F0-1100		9x7, 900 Sup-LED, Red, Left Side - (Loc: LS4)	1
43-F4-0100		9x7, 900 Sup-LED, Red, Right Side - (Loc: RS1)	1
43-F4-1100		9x7, 900 Sup-LED, Red, Right Side - (Loc: RS4)	1
REAR BODY WARNING (Flashing) LIGHTS			1
43-H1-0200		**Whelen KKK, Rear Body Flashing Lights - CLEAR Lens	1
REAR LIGHT LAYOUT -(No Lightbar or Traffic Advisor) (PDF>)			1
43-H3-0120		(3) Rear Upper Lights & (2) Window Level Lights	1
43-S0-0100		9x7, 900 Sup-LED, Red, Rear - (Loc: R1)	1
43-S0-0850		9x7 Sup-LED, Amber, Rear - (Loc: R4)	1
43-S0-1850		9x7 Sup-LED, Red, Rear - (Loc: R7)	1
Rear Lights at Window Level			1
43-S0-2350		9x7 Sup-LED, Red, Rear - (Loc: R10B)	1
43-S0-3100		9x7 Sup-LED, Red, Rear - (Loc: R11B)	1
SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS			1
43-T5-1300		Whelen 700 Series Red Super-LED, w/Flange, (2) Over Rear Wheel Color: Red	1
REAR NON-EMERGENCY LIGHTS			1
44-10-1500		Stop/Tail and Turn Signal-Light heads with clear lenses Exterior vehicle Rear Stop/Tail & Turn light heads will have Clear Lenses.	1
44-10-2510		Stop/Tail, (2) Whelen 600 Series LED -(clear Lens) w/Flange	1
44-15-1M00		Back-up, (2) Whelen 600 Series, w/Flange	1
44-25-1850		Directional, (2) Whelen 600 LED -(clear Lens) Amber Arrow	1
AUXILIARY NON-EMERGENCY LIGHTS			1
44-30-1000		Marker/Clearance Lts, LED Front, Rear, (2) Sides	1
44-30-3000		Lower Side Marker, Flash w/Directionals, (2) ea side	1
44-35-1500		Rear Red LED Flasher/Brake Light Priority- Rear Uppermost For Lights located in the upper most portion of the body	1
FLOOD LIGHTS			1
44-50-1000		(2) Whelen 9x7, 8-32 deg Halogen Scene Lights, Left side-(Loc:LS2, LS3)	1
44-50-1100		(2) Whelen 9x7, 8-32 deg Halogen Scene Lights, Right side-(Loc:RS2, RS3)	1
44-50-2000		(2) Whelen 9x7, 8-32 deg Halogen Scene Lights, Rear, (Loc: R12, R13)	1
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1
44-60-4000		Rear Scene Lights, On-Off Switch in Console Rear floods switch shall also activate reverse lights.	1
44-60-5000		Right Side Scene Light Cancel Switch	1
44-60-6000		Rear Door Scene Light Cancel Switch	1
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1
CLIMATE CONTROL			1

PART NO	S	DESCRIPTION	QTY
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1
45-30-1M00		Ducted Heater/Air Cond, Digital Thermostat- E Series	1
45-35-1100		Auxiliary Coolant Pump Climate Control System	1
45-60-1000		Switch in Cab On-Off Control, Heater-A/C Unit	1
CEILING CONFIGURATION			1
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers Order of lights on the ceiling (front to rear): Dome Light, Speaker, Rectangular Light, Dome Light, IV Holder, Rectangular Light, Dome Light	1
INTERIOR LIGHTS			1
46-10-1100		(6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80COEHCR) Whelen Product change 5/6/13 -from 9 LED to 18 LED (same overall Lumens)	1
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1
COMPARTMENT LIGHTS			1
46-20-1000		Lights In Exterior Compartments, 4" Recessed (Compartment Ceiling Lights)	1
46-20-1200		Panel Light, 12", Incandescent, in Right Front -In/Out	1
AUXILIARY INTERIOR LIGHTING			1
46-20-2000		Panel Light, 12", Incandescent, (LSS Area)	1
46-30-1000		Stepwell Light, Located at Side Entrance Door	1
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1
46-40-3M00		Rectangular Lights "Check-Out" Timer, Side Door	1
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1
46-50-5500		3-way Dome/Rect. Light Master Switch (Console & LSS) Cab Console and LSS Switch Panel Note: This option is NOT COMPATIBLE with right side switch panel options 22-25-4130 or 22-25-4135	1
MEDICAL OUTLETS			1
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS	1
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1
47-20-2500		12 volt Medical Outlet, Power Point, Loc: Left Rear Outlet mounted 14" above the rear counter For any other locations, please use an SOPR	1
47-50-1K00		Medical Isolator, Shottky, Low Voltage Drop	1
ANTENNA/COMMUNICATION RADIO			1
47-60-1000		Antenna Leads, (3) Body Roof - (See PDF) (1) Front console, (1) L/S/S, (1) Behind driver seat. NOTE: Antenna bases shall not be mounted unless selected.	3
47-60-6200		Radio Power Lead, rear L/S/S Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1

PART NO	S	DESCRIPTION	QTY
47-60-6500		Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1
47-60-7000		Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1
MISCELLANEOUS 12 VOLT ELECTRICAL			1
48-20-2000		Speakers, Stereo Volume Control Rear Sw Panel	1
48-50-3002		Clock, 12 volt 24 hour, Analog mounted on 45 degree cabinet	1
48-70-2000		Snow Chains, PREWIRE, Electrical Control Includes Safety switch in console	1
ELECTRICAL 115 VOLT AC			1
51-20-5000		Shoreline, Super Auto-Eject 20 amp, White, Left Side	1
51-30-1500		Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator	1
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1
51-40-1000		Engine Block Heater to Shoreline (If so equipped) Note: Includes block heater switch in Electrical cabinet. The heater should only be switched on during (cold weather) as per chassis owner manual guidelines.	1
51-40-3000		On-off Switch 115v, For Control of Block Htr	1
52-10-1000		Hospital Grade Lighted GFCI Outlet, Location: L/S/S	1
52-10-2000		Hospital Grade Lighted Outlet, Location: Left Rear Outlet mounted 14" above the rear counter	1
For any other locations, please use an SOPR			
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1
BATTERY CHARGER / INVERTER CHARGER			1
54-10-1M00		Battery Charger, IOTA DLS-30, 30 amp	1
INVERTER			1
55-10-4200		Inverter, Prewire, Complete-Vanner EMS Style Provide switch in LSS Provide #PL-2833 Anderson Connection Provide Mounting Plate # S00518500	1
PAINT LUSTRE			1
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1
60-00-0007		Paint Adhesion Testing	1
BODY AND CAB PRIMARY PAINT			1
60-10-0010		*Body and Cab Same Single Color	1
60-10-1050		**Modular Body Paint Color OEM White	1

PART NO	S	DESCRIPTION	QTY
60-15-1490		No Cab Repaint Required NOT ALL PAINT COLORS AVAILABLE , CHECK WITH PL FACTORY ON AVAILABILITY. When NO cab repaint is specified, chassis paint code must be verified to be sure of a match to body paint	1
ADDITIONAL VEHICLE PAINT, SECONDARY			1
61-05-0008		No Additional Paint Required	1
PAINT COLOR CODES FOR PRIMARY/SECONDARY PAINT			1
65-50-4020		Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline This provides the 60 sq.inch required for both general safety and KKK.	1
65-50-4070		Reflective White Tape Stripe, 3/4" Outline, on interior of Compartment Doors Reflective White Tape Stripe on the interior pan of all compartment doors	1
65-80-1000		KKK-A-1822 Decal Package	1
TECHNICAL RADIO INSTALLATION			1
70-10-0500		No Technical Radio Installation	1
CHASSIS EQUIPMENT			1
75-10-1M00		Stainless Steel Wheel Inserts E- 08+	1
75-55-1500		Mirrors, Ford OEM, Power Adjust Trailer Tow, Econoline III	1
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1
75-95-2520		Front End-Caster Camber Align	1
EQUIPMENT			1
80-35-2K00		Fire Extinguisher, ABC, 5lb, Qty: (2) Shipped loose.	1
80-43-4250		Bottle Brackets, Zico-Quick-Release, Strapless (2), (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1
80-45-1050		KKK-1822 Pkg for KKK Compliance	1
80-45-1070		Factory will Adjust "Duplicate Items"- (From KKK Comply) The Factory will adjust and remove any unnecessary "Duplicate" lines which occurred with the addition of QW# 80-45-1050 KKK Compliance. Specific Locations which the customer called out will take precedence.	1
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1
CHASSIS			1
95-10-167H		2017 FORD E-450 Super Duty, 100" CA, XL Trim (GAS) 2017 Ford E-450 Super Duty Cutaway Cab and Chassis (GAS) Wheelbase 158" CA 100" G.V.W. 14,500 lbs. Powertrain/functional: Engine: 6.8L Electronic Fuel Injected Triton V10 Gasoline Engine 305 HP / 420 ft.-lb. torque	1

PART NO	S	DESCRIPTION	QTY
		Engine Block Heater	
		Transmission:	
		Ford TorqShift Five Speed Automatic Transmission	
		Auxiliary Trans Oil Cooler; Oil to Air and In-tank	
		Front Axle 5,000 lbs. Twin I Beam	
		Rear Axle 9,500 lbs. Dana 10.75" HD	
		Brakes: Four-wheel disc	
		Four-wheel anti-lock brake system (ABS)	
		Parking Brake Foot Operated, push to apply, pull release lever to Disengage	
		Fuel Tank - 55 gallons aft of rear axle	
		Suspension:	
		Front Springs 5,000 lbs	
		Rear Springs 9 600 lbs	
		Stabilizer Bar, front and rear	
		Shock Absorbers - Heavy Duty, front & rear	
		Steering: Power, Ford XR-50 H.D. Gear	
		Interior/Exterior Appearance Upgrade	
		Air Conditioning	
		Power Door Locks and Windows	
		Chrome front bumper and grille	
		Daytime Running Lights	
		Dual Seal Beam ,fixed-lens headlamps	
		Dual cloth captains chairs	
		Color keyed carpeting & headliner	
		Color keyed cloth sun visor	
		Dual Electric Horns	
		Mirrors - Power Adjust/Manual Telescoping Trailer Tow	
		Light & Convenience Group	
		Interval windshield wipers	
		Gauges: Voltmeter, Oil Pressure, Temperature, Trip Odometer, Tachometer	
		Speed Control & Tilt Steering Wheel	
		AM/FM Radio w/CD/Clock	
		Message Center in Dash	
		Ambulance Prep Package 47A	
		225 Amp Heavy Duty Alternator	
		(2) 78 Amp hour 750 CCA Heavy Duty Batteries	
		4.:56 Rear Axle Ratio Limited Slip	
		Auxiliary Heater - A/C Connector Package	
		ETM52 Electronic Throttle control	
		Safety/Security:	
		Airbag - driver and front passenger	
		Safety belts - medium flint with height adjustable D-ring	

